

## Bibliography

- Allen, C. K. (1982). Independence through activity: The practice of occupational therapy (psychiatry). *American Journal of Occupational Therapy*, 36(11), 731-739.
- Allen, C. K. (1985). *Occupational therapy for psychiatric diseases: Measurement and management of cognitive disabilities*. Boston: Little, Brown, and Company.
- Allen, C. K. (1987). Activity: Occupational therapy's treatment method. 1987 Eleanor Clarke Slagle lecture. *American Journal of Occupational Therapy*, 41(9), 563-575.
- Allen, C. K. (1992). Cognitive disabilities. In N. Katz (Ed.), *Cognitive rehabilitation: Models for intervention in occupational therapy*. Boston, MA: Andover.
- Allen, C. K. (1992b). Rehabilitation and learning, in N. Katz, ed., *Occupational therapy treatment goals for the physically and cognitively disabled*. Bethesda, MD: American Occupational Therapy Association, 339-341.
- Allen, C. K. (1994). *The disabled human mind*. Unpublished manuscript.
- Allen C. K. (1999). *Structures of the cognitive performance modes*. Ormond Beach, FL: Allen Conferences.
- Allen, C. K., & Blue, T. (1998). *Cognitive disabilities model: How to make clinical judgments*. Bethesda, MD: American Occupational Therapy Association.
- Allen, C. K., & Mendel, W. M. (1982). Chronic illnesses and staff burn out: Revised expectations for change in the supportive-care model. *International Journal of Partial Hospitalization*, 1, 191-201.
- Allen, C. K., Earhart, C. A., & Blue, T. (1992). *Occupational therapy treatment goals for the physically and cognitively disabled*. Bethesda, MD: American Occupational Therapy Association.
- Allen, C. K., Austin, S. L., David, S. K., Earhart, C. A., McCraith, D. B., & Riska-Williams, L. (2007). *Manual for the Allen Cognitive Level Screen-5 (ACLS-5) and Large Allen Cognitive Level Screen-5 (ACLS-5)*. Camarillo, CA: ACLS and LACLS Committee
- American Occupational Therapy Association. (2008). Occupational therapy practice framework: Domain and process, 2nd Ed. *AJOT: American Journal of Occupational Therapy*, 62(6), 625 – 683.
- Anderson, M. (1992). *Intelligence and development: A cognitive theory*. Cambridge, MA: Blackwell.
- Austin, S. A. (2009). *Hierarchies of abilities and activity demands in Allen Diagnostic Module 2<sup>nd</sup> Ed.: A validity study*. Unpublished doctoral dissertation. University of Illinois, Chicago, Ill.
- Bar-Yosef, C., Weinblatt, N., & Katz, N. (1999). Reliability and validity of the Cognitive Performance Test (CPT) in an elderly population in Israel. *Physical and Occupational Therapy in Geriatrics*, 7(1), 65-79.
- Bieber, D. C., & Keller, B. (2005). Falls and the client with dementia: Using the occupational profile and Allen cognitive level to direct care. *Gerontology: Special Interest Section Quarterly*, 28(2), 1-3.
- Burns, T. (1992). Part III: The Cognitive Performance test: An approach to cognitive level assessment in Alzheimer's disease. In Allen, et al., *occupational therapy*

- treatment goals for the cognitively and physically disabled.* Bethesda, MD: American Occupational Therapy Association.
- Burns, T., Mortimer, J. A., & Merchak, P. (1994). Cognitive Performance Test: A new approach to functional assessment in Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology*, 7(1), 46-54.
- Burns, T., McCarten, J. R., Adler, G., Bauer, M., & Kuskowski, M. A. (2004). Effects of repetitive work on maintaining function in Alzheimer's disease patients. *American Journal of Alzheimer's Disease and Other Dementias*, 19(1), 39-44.
- Burns, T. (2006). *The Cognitive Performance Test manual*. Pequannock, NJ: Maddak.
- Cole, M. (2005). *Group dynamics in occupational therapy: The theoretical basis and Practice Application of Group Intervention*. Thorofare, NJ: Slack, Inc.
- David, S. K. & Riley, W. T. (1990). The relationship of the Allen Cognitive Level Test to cognitive abilities and psychopathology. *American Journal of Occupational Therapy*, 44(6), 493-497.
- Donda, B., Stratta, P., & Sconci, V. (2001). Utilizzo dell'Allen Cognitive Level Leather Lacing (ACL) in un campione italiano di pazienti affetti da disturbo schizofrenico e disturbo bipolare. = Application of the Allen Cognitive Level Leather Lacing (ACL) in an Italian sample of schizophrenic and bipolar patients. . *Rivista di Psichiatria*, 36(6), 330-336.
- Earhart, C. A. (1985). Occupational therapy groups. In C. K. Allen (Ed.), *Occupational therapy for psychiatric diseases: Measurement and management of cognitive disabilities* (pp.235-266). Boston: Little, Brown and Company.
- Earhart, C. A. & Allen, C. K. (1988). Cognitive disabilities: Expanded activity analysis: Analysis of craft processes and cognitive stimulation and response. Los Angeles, CA: University of Southern California.
- Earhart, C. A. & Allen, C. K. (1992). *Allen Diagnostic Module: Manual*. Colchester, CT: S&S Worldwide.
- Earhart, C. A. (2006). *Allen Diagnostic Module: Manual* (2nd Ed.). Colchester, CT: S&S Worldwide.
- Gitlin, L. N., Winter, L., Burke, J., Chernet, N., Dennis, M. P., & Hauck, W. W. (2008). Tailored activities to manage neuropsychiatric behaviors in persons with dementia and reduce caregiver burden: a randomized pilot study. *American Journal of Geriatric Psychiatry*, 16(3), 229-239.
- Gitlin, L. N., Winter, L., Dennis, M. P., Hodgson, N., & Hauck, W. W. (2010). A biobehavioral home-based intervention and the well-being of patients with dementia and their caregivers: the COPE randomized trial. *JAMA: Journal of the American Medical Association*, 304(9), 983-991.
- Gitlin, L. N., Winter, L., Vause Earland, T., Herge, A. E., Chernet, N., & Piersol, C. V. (2009). The tailored activity program to reduce behavioral symptoms in individuals with dementia: feasibility, acceptability, and replication potential. *Gerontologist*, 49(3).
- Henry, A. D., Moore, K., Quinlivan, M., & Triggs, M. (1998). The relationship of the Allen Cognitive Level Test to demographics, diagnosis, and disposition among psychiatric inpatients. *American Journal of Occupational Therapy*, 52(8), 638-643.

- Hinojosa & Kramer (1997). Fundamental concepts of occupational therapy: Occupation, purposeful activity, and function [Statement]. *American Journal of Occupational Therapy*, 51, 864-866.
- Holm, A., Michel, M., Stern, G. A., Hung, T., Klien, T., Flahery, L., et al. (1999). The outcomes of an inpatient treatment program for geriatric dementia and dysfunctional behaviors. . *Gerontologist*, 39(6), 668-676.
- Itzkovich, M., Elazar, B., Averbuch, S., & Katz, N. (2000). *Lowenstein Occupational Therapy Cognitive Assessment* (LOTCA) battery manual (2nd Ed.). Pequannock, NJ: Maddak.
- Katz, N. (2006). *Routine Task Inventory - Expanded (RTI-E) manual, prepared and elaborated on the basis of Allen, C. K. (1989 unpublished)*.
- Katz, N., & Perelman, N. (1993). Cognitive levels and work recommendations: A study of chronic psychiatric patients in the community. *Work: A Journal of Prevention, Assessment and Rehabilitation*, 3(1), 64-68.
- Kehrberg, K. L., Kuskowski, M. A., Mortimer, J. A., & Shoberg, T. D. (1992). Validating the use of an enlarged, easier-to-see Allen Cognitive Level Test in geriatrics. *Physical and Occupational Therapy in Geriatrics*, 10(3), 1-14.
- Keller, S., & Hayes, R. (1998). The relationship between the Allen Cognitive Level Test and the Life Skills Profile. *American Journal of Occupational Therapy*, 52(10), 851-856.
- Kiernan, R. J., Mueller, J.,& Langston, W., (2009). *The Cognistat Manual*. Fairfax, CA: Novatek.
- Kozulin, A. (1986). The concept of activity in Soviet psychology: Vygotsky, his disciples and critics. *American Psychologist*, 41, 264-273.
- Lee, S. N., Gargiullo, A., Brayman, S., Kinsey, J. C., Jones, H. C., & Shotwell, M. (2003). Adolescent performance on the Allen Cognitive Levels Screen. *American Journal of Occupational Therapy*, 57(3), 342-346.
- Leontyev, A. N. (1981). *Problems of the development of the mind*. Moscow, USSR: Progress Publishers.
- Levy, L. L. (1999, Nov. 8). Memory: An overview for cognitive rehabilitation intervention. *OT Practice*, 4(9), CE1-CE8.
- Levy, L. L. (2005). Cognitive aging in perspective: Information processing, cognition, and memory. In N. Katz, Ed., *Cognition & Occupation Across the Lifespan: Models for Intervention in Occupational Therapy*, 2<sup>nd</sup> edition. Bethesda, MD: American Occupational Therapy Association.
- Levy, L. L. (2005a). Cognitive aging in perspective: Implications for occupational therapy practitioners. In N. Katz, ed., *Cognition & occupation across the lifespan: Models for intervention in occupational therapy*, 2<sup>nd</sup> edition. Bethesda, MD: American Occupational Therapy Association.
- Levy, L., & Burns, T. (2005). Cognitive disabilities reconsidered: Rehabilitation of older adults with dementia. In N. Katz, Ed., *Cognition & occupation across the life span: Models for intervention in occupational therapy*, 2<sup>nd</sup> ed. Bethesda, MD: American Occupational Therapy Association.
- McAnanama, E. P., Rogosin-Rose, M. L., Scott, E. A., Joffe, R. T., & Kelner, M. (1999). Discharge planning in mental health: The relevance of cognition to community living. *American Journal of Occupational Therapy*, 53(2), 129-137.

- McCraith, D. & Henry, A. (2003, November 1). *Usefulness of cognitive disabilities model in predicting community functioning among persons with mental disorders*. Presentation at the Allen Cognitive Symposium, Tampa, FL.
- Neisser, U. (1967). *Cognitive psychology*. New York, NY: Appleton-Century-Crofts.
- Ngoh, C. T., Lewis, I. D., & Connolly, P. M. (2005). Outcomes of inpatient Geropsychiatric treatment: The value of assessment protocols. *Journal of Gerontological Nursing, 31*(4), 12-18.
- Parente, R., & Stapleton, M. (1997). History and systems of cognitive rehabilitation. *Neurorehabilitation, 3*(1), 3-11.
- Penny, N. H., Mueser, K. T., & North, C. T. (1995). The Allen Cognitive Level Test and social competence in adult psychiatric patients. *American Journal of Occupational Therapy, 49*(5), 420-427.
- Platt, M. (2004). *At Home with Allen cognitive levels: A quick reference, 2<sup>nd</sup> ed.* Forest Grove, OR: Author.
- Pollard, D. (2008). *Caregivers: Drowning in a sea of cognitive challenges* Cantankerous Cow Books.
- Pollard, D., & Olin, D. W. (2005). *Allen's cognitive levels: Meeting the challenges of client focused services*. Monoma, WI: Selectone Rehab.
- Raweh, D. V., & Katz, N. (1999). Treatment effectiveness of Allen's cognitive disabilities model with adult schizophrenic outpatients: A pilot study. *Occupational Therapy in Mental Health, 14*(4), 65-77.
- Roitman, D. M., & Katz, N. (1996). Predictive validity of the Large Allen Cognitive Levels Test (LACL) using the Allen Diagnostic Module (ADM) in an aged, non-disabled population. *Physical and Occupational Therapy in Geriatrics, 14*(4), 43-59.
- Rustard, R. A., DeGroot, T. L., Jungkunz, M. L., Freeberg, K. S., Borowick, L. G. & Wanttie, A. M., (1993). *Cognitive Assessment of Measurement*, San Antonio, TX: Pearson.
- Secrest, L., Wood, A. E., & Tapp, A. (2000). A comparison of the Allen Cognitive Level Test and the Wisconsin Card Sorting Test in adults with schizophrenia. *American Journal of Occupational Therapy, 54*(2), 129-133.
- Shapiro, M. E. (1992). Application of the Allen Cognitive Level Test in assessing cognitive level functioning of emotionally disturbed boys. *American Journal of Occupational Therapy, 46*(6), 514-520.
- Velligan, D. I., & Bow-Thomas, C. C. (2000). Two case studies of cognitive adaptation training for outpatients with schizophrenia. *Psychiatric Services, 51*(1), 25-30.
- Velligan, D. I., Bow-Thomas, C. C., Mahurin, R., Miller, A., Dassori, A., & Erdely, F. (1998). Concurrent and predictive validity of the Allen Cognitive Levels Assessment. *Psychiatry Research, 80*(3), 287-298.
- Velligan, D. I., Mahurin, R. K., True, J. E., & Lefton, R. S. (1996). Preliminary evaluation of cognitive adaptation training to compensate for cognitive deficits in schizophrenia. *Psychiatric Services, 47*(4), 415-417.
- Velligan, D. I., True, J. E., Lefton, R. S., Moore, T. C., & Flores, C. V. (1995). Validity of the Allen Cognitive Levels Assessment: A tri-ethnic comparison. *Psychiatry Research, 56*(2), 101-109.

- Voydetich, D., Jensen, M., Sigford, B., & Mehr, J. (2002). Relationship between the Allen cognitive levels and the Rancho Los Amigos cognitive levels. *Premier Outlook*, 3(4), 14-19.
- Warchol, K. (2004). An interdisciplinary dementia program model for long-term care. *Topics in Geriatric Rehabilitation*, 20(1), 59-71.
- Wilson, S. D., Allen, C. D., McCormack, G., & Burton, G. (1989). Cognitive disability and routine task behaviors in a community-based population with senile dementia. *Occupational Therapy Practice*, 1(1), 58-66.
- World Health Organization. (2001). International classification of functioning, disability, and health (ICF). Geneva, Switzerland: Author.
- Zimnavoda, T., Weinblatt, N., & Katz, N. (2002). Validity of the Kohlman Evaluation of Living Skills (KELS) with Israeli elderly individuals living in the community. *Occupational Therapy International*, 9(4), 312-325.
- Ziv, N., Roitman, D. M., & Katz, N. (1999). Problem solving, sense of coherence and instrumental ADL of elderly people with depression and normal control group. *Occupational Therapy International*, 6(4), 243-256.